

































- capillary electrophoresis. *Vestnik Moskovskogo universiteta. Seriya 2. Khimiya = Moscow University Chemistry Bulletin*, 46(6), 395–399 (in Russ.).
10. Chernobrovkin, M.G., Kol'tsova, N.V., Shepelev, B.N. (2004). Determination of amino acids in the drug "Eltacin". *Pharmacy*, 53(5), 18–20 (in Russ.).
  11. Beketov, V.I., Voronina, R.D., Zorov, N.B. (2012). Fluorimetric determination of amino acids and photochemical stability of the products of their reaction with *orto*-phthalic aldehyde under irradiation of a high-power pulsed laser. *Vestnik Moskovskogo universiteta. Seriya 2. Khimiya = Moscow University Chemistry Bulletin*, 53(4), 228–233 (in Russ.).
  12. Jajic, I., Krstovic, S., Glamocic, D., Jaksic, S., Abramovic, B. (2013). Validation of an HPLC method for the determination of amino acids in feed. *Journal of the Serbian Chemical Society*, 78(6), 839–850. <https://doi.org/10.2298/JSC120712144J>
  13. Gatte, R., Gioia, M.G, Di Pietra, A. M. (2002). Phanquenone: a useful fluorescent pre-chromatographic derivatization reagent for liquid chromatographic analyses of aminoacid dosage form. *Analytica Chimica Acta. 1*(2), 11–20. [https://doi.org/10.1016/S0003-2670\(02\)01011-5](https://doi.org/10.1016/S0003-2670(02)01011-5)
  14. Krishna, V.N., et al. (2010). Analysis of monosodium L-Glutamate in food products by High-Performance thin layer chromatography. *Journal Young Pharm*, 2(3), 297–300. <https://doi.org/10.4103/0975-1483.66795>
  15. Afraa, A, Mounir, A, Zaid, A (2013). Colorimetric determination of monosodium glutamate in food samples using L-glutamate oxidase. *Clinical Journal of Applied and Environmental Biology*, 19(6), 1069–1072. <http://dx.doi.org/10.3724/SP.J.1145.2013.01069>
  16. STB ISO 5725-2-2002 Accuracy (correctness and precision) of measurement methods and results in 6 hours - Part 2: The main method for determining the repeatability and reproducibility of the standard method of determination. Minsk: Gosstandart, 2002. 42 p. (in Russ.).
  17. STB ISO 5725-3-2002 Accuracy (correctness and precision) of measurement methods and results in 6 hours - Part 3: Intermediate indicators of precision of a standard measurement method. Minsk: Gosstandart, 2002. 36 p. (in Russ.).
  18. STB ISO 5725-4-2002 Accuracy (correctness and precision) of measurement methods and results in 6 hours - Part 4: Basic methods for determining the correctness of the standard method of determination. Minsk: Gosstandart, 2019. 32 p. (in Russ.).
  19. STB ISO 5725-6-2002 Accuracy (correctness and precision) of measurement methods and results. Part 6. Using precision values in practice. Minsk: Gosstandart, 2002. 48 p. (in Russ.).
  20. GOST 8.010-2013 State System for Ensuring the Uniformity of Measurements (GSI). Measurement techniques. Basic provisions. Moscow: Standartinformt, 2019. 20 p. (in Russ.).
  21. STB ISO 21748-2019 Guidelines for the use of estimates of repeatability, reproducibility and correctness in the evaluation of measurement uncertainty. Minsk: Gosstandart, 2019. 40 p. (in Russ.).