



























14. Rao, P.S., Reddy, K.V.N.S., Kalyani, S., Krishnaiah, A. (2007). Comparative sorption of copper and nickel from aqueous solutions by natural neem (*Azadirachta indica*) sawdust and acid treated sawdust. *Wood Science and Technology*, 41, 427–442.
15. Miftakhova, F.R., Nguyen, T.K.T., Galimova, R.Z., & Shaikhiev, I.G. (2019). Influence of the concentration of phosphoric acid in the processing of acacia sawdust (*Acacia auriculiformis*) on the sorption characteristics of zinc ions. *Bulletin of the Technological University*, 22(2), 37–43 (in Russ.).
16. Miftakhova, F.R., Nguyen, T.K.T., Galimova, R.Z. et al. (2019). Investigation of the adsorption of zinc ions by acid-modified sawdust of acacia (*Acacia auriculiformis*). *Sorption and chromatographic processes*, 19(5), 588–595 (in Russ.).
17. Galimova, R.Z., Nguyen, T.K.T., Shaikhiev, I.G., Sverguzova, S.V. (2019). Sulfuric acid-modified acacia sawdust (*Acacia auriculiformis*) for wastewater treatment from copper (II) ions. *Chemical Bulletin*, 2(4), 12–23 (in Russ.).
18. Galimova R.Z., Shaikhiev I.G., & Nguyen T.K.T. (2020). Adsorption of copper (II) ions on the modified bark of the acacia (*Acacia auriculiformis*). *Environmental Chemistry*, 29(4), 196–200 (in Russ.).
19. Desta, M.B. (2013). Batch sorption experiments: Langmuir and Freundlich isotherm studies for the adsorption of textile metal ions onto teff straw (*Eragrostis tef*) agricultural waste. *Journal of Thermodynamics*, 375–383. <https://doi.org/10.1155/2013/375830>
20. Ozer, A., & Pirinc, H.B. (2006). The adsorption of Cd(II) ions on sulphuric acid-treated wheat bran. *Journal of Hazardous Materials*, 137(2), 849–855. <https://doi.org/10.1016/j.jhazmat.2006.03.009>
21. Ibrahim, M.B., & Sani, S. (2014). Comparative isotherms studies on adsorptive removal of Congo red from wastewater by watermelon rinds and neem-tree leaves. *Open Journal of Physical Chemistry*, 4(4), 139–146. <http://dx.doi.org/10.4236/ojpc.2014.44017>