





















19. Bellas, V., Iatrou, B., & Hadjichristidis, N. (2000). Controlled anionic polymerization of hexamethylcyclotrisiloxane model linear and miktoarm star co- and terpolymers of dimehylsiloxane with styrene and isoprene. *Macromolecules*, 33(19), 6993–6997.
20. Raigorodskiy, I.M. (2003). *Siloxane-containing polycondensation block copolymers with silicon-carbon bonding between bloks* (Doct. habil. dissertation), Moscow: Russian Chemical Technical University named after D.I. Mendeleev. (in Russ.).
21. Mukbaniani, O.B., Samsonia, A.Sh., Karchhadze, M.G. (1999). Block copolymers with silarilene-siloxy-dihydrophenanthrene fragments in the dimethyl-siloxane chain. *Plasticheskie Massy*, 2, 25 (in Russ.).
22. Avgeropoulos A., Chan V., Lee V. Y. et al. (1998). Synthesis and Morphological Behavior of Silicon-Containing Triblock Copolymers for Nanostructure Applications. *Chem. Mater.*, 10(8), 2109–2115.
23. Kopylov, V.M., Fedotov, A.F., Shkolnik, M.I. et al. (1988). Study of the hydrolysis of organic and organosilicon bischloroformates in heterophase systems. *Russian Journal of general chemistry*, 59(12), 2515–2520